



Replacement Cover Measurement Form

DEALER: Pool Products Direct
263 Pineridge Lane
Stillwater, MN 55082-7102

Dealer Contact: Todd Wilson Phone: 651-439-8467

Pool Owner Name: _____
Address: _____
City: _____ **State:** _____ **Zip Code:** _____
Telephone: _____ **Email:** _____


SYSTEM TYPE: [Check Appropriate Box](#) Underguide Top-Guide/Track

POOL TYPE: [Check Appropriate Box](#) Vinyl Gunite Fiberglass

TRACK (Guide) DIMENSIONS - Inside of track to inside of track

Fill in your pool measurements

| | |
|-----------------------------------|---------------------------|
| Guide/Track Width | Guide/Track Length |
| ' _____ " _____ | X _____ ' _____ " |
| Must Have this measurement | |




IMPORTANT: Track Width measurement; Inside Track to Inside Track – Length from Guide-Feed (front of cover housing) to end of track or pool (if Underguide). Appropriate amount of slack for Underguide & Topguide applications are calculated by Coverstar Manufacturing.

LEADING EDGE TYPE: [Check Appropriate Box](#)

Loop (Fabric Covering Leading Edge)

Bead or Rope (Exposed Leading Edge)



MANUFACTURER (If Known)

- Coverstar Aquamatic Cantar or WET (Out of Business)
- PCS (Pool Cover Specialists) Pool Saver Cover Pools
- Leading Edge (Ft Wayne/Coverstar) APC (Automatic Pool Covers) Pool Saver

ROPE (New Power-Flex) [Check Appropriate Box](#)

- Continuous Detachable (Coverstar Exclusive) *

* Can Convert other bands to detachable, email Pool Products Direct for Details

FABRIC: [Check Appropriate Box](#)

- UltraGard III** (17oz Premium, **HSW***. 7 yr Warranty) 9 Standard Colors
 - Navy Blue Royal Blue Light Blue Forest Green Gray Charcoal Tan Brown Black
- *Patented Coverstar **Heat Sealed Webbing**

- DuraGard** (15oz) 5 yr Warranty **HSW** not available

Only 3 Colors: Royal Blue Gray Tan

Stitched Webbing Only: White Color Matched

WEBBING (Patented Coverstar **Heat Sealed Webbing** – UltraGard only) [Check Appropriate Box](#)

- Color Match **HSW** White **HSW** Standard White Dacron

Can convert other brands to **HSW** – email for details.

VENTED EDGE UPGRADE (UltraGard Only – both sides of cover vented) [Check if you desire this option.](#)

- Vented Edge P/N A1147

(Recommend to use with Chlorine Generators on Underguide vinyl pools)

IMPORTANT REMINDER

When converting a non-Coverstar fabric to Heat-Sealed Webbing make sure to measure the recessed cover housing to ensure width and depth is adequate to hold additional diameter of cover with HSW.

Follow these guidelines: 12”X12” box 36’ Track Length 40’ Cover

For HSW webbing 13”X13” box 40’ Track Length 48’ Cover


14”X14” box 51’ Track Length 55’ Cover

(Add one inch of box for each additional 8 ft of fabric from this point on)

NOTES:

Fax or Email completed form to: **Pool Products Direct**
Fax: 651-342-0512
Email: Apools2000@aol.com





Select a Color - UltraGard III™ Premium Fabric

Specially formulated heavy-duty vinyl fabric utilizes extruded coating process and closed polyester weave for superior product performance.

- *Ultraviolet Protection
- *Chemical Resistance
- *Mildew Resistance
- *Fabric Strength (17 oz)
- *Tear Resistance
- *Abrasion Resistance
- *Minimal fabric shrinkage (less than 1%)
- *Exclusive Color-Match Heat-Sealed Webbing
- *9 standard colors (custom colors also available)